

2013-07-08
2013-1967

Slam'R COC Adjuvant

COMMERCIAL

A non-ionic blend of surfactants and highly refined paraffinic crop oil designed to optimize the performance of Slam'R Clodinafop Herbicide on spring wheat and Durum wheat.

GUARANTEE:

Paraffin base petroleum oil83%
surfactant blend17%

READ THIS LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

REGISTRATION NO.: **30138** PEST CONTROL PRODUCTS ACT

NET CONTENTS: **6.4 L, 55 L, 450 L, 1100 L, bulk**

Distributed by:

Agri Star Canada ULC.
210, 276 Midpark Way SE
Calgary, Alberta
Canada T2X 1J6
(403) 873-5177

FIRST AID

IN CASE OF POISONING, contact a physician or a poison control centre IMMEDIATELY. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin IMMEDIATELY with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF SWALLOWED, call a poison control centre or doctor IMMEDIATELY for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF INHALED, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

TOXICOLOGICAL INFORMATION

This product contains a PETROLEUM DISTILLATE. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia. Treat symptomatically for ingestion and/or skin and eye contact.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. This product contains a petroleum distillate which is moderately to highly toxic to aquatic organisms. Avoid contamination of aquatic systems during application. Do not contaminate these systems through direct application, disposal of waste or cleaning equipment.

DO NOT get in eyes or on skin. Avoid contact with clothing. Wear coveralls or long sleeved shirt and long pants, chemical resistant gloves, and goggles when mixing, loading or during equipment clean up or repair.

Wash gloves thoroughly with soap and water before removing them during any operation.

Wash hands thoroughly with soap and water after using this product and before eating, drinking or smoking.

Remove contaminated clothing immediately after use. Store and wash contaminated clothing separately from household laundry before reuse. Wash thoroughly with soap and water after handling. Handle and apply only as recommended on this label.

STORAGE

Store the product in closed original container in a well-ventilated room. Keep out of reach of children, unauthorized persons and animals. Store separate from food, feed, and fertilizer.

DISPOSAL OF UNUSED, UNWANTED PRODUCT

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean up of spills.

CONTAINER DISPOSAL

For recyclable containers:

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container.
2. Add the rinsings to the spray mixture in the tank.
3. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For refillable containers:

For disposal, this container may be returned to the point of purchase. Do not reuse this container for any other purpose.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

EMERGENCY TELEPHONE NUMBER

**IN CASE OF A MEDICAL EMERGENCY, CALL TOLL FREE, DAY OR NIGHT
1-800-327-8633 (FASTMED)**

PRODUCT INFORMATION

Slam'R COC Adjuvant is an emulsifiable oil product. It is a spray tank adjuvant to be tank-mixed with Slam'R Clodinafop Herbicide for selective control of wild oats, volunteer (tame) oats, green foxtail, yellow foxtail, barnyard grass, Persian darnel and volunteer canary seed in all types of spring wheat and Durum wheat.

DIRECTIONS FOR USE

CROP: Spring Wheat and Durum Wheat

Slam'R COC Adjuvant must always be used with Slam'R Clodinafop Herbicide containing 240 g ai/L. Use as a 0.8 to 1% v/v adjuvant (0.8 to 1.0 L Slam'R COC Adjuvant per 100 L of spray mixture, 0.4 to 0.5 L Slam'R COC Adjuvant per 50 L of spray mixture and 0.24 to 0.3 L per 30 L of spray solution).

RATE OF USE FOR GROUND APPLICATION IN 50 and 100 L/ha of Water:

To control: WILD OATS VOLUNTEER (TAME) OATS GREEN FOXTAIL YELLOW FOXTAIL BARNYARD GRASS VOLUNTEER CANARY SEED	To control: WILD OATS VOLUNTEER (TAME) OATS GREEN FOXTAIL YELLOW FOXTAIL BARNYARD GRASS VOLUNTEER CANARY SEED PERSIAN DARNEL
Rates for use with 50 L/ha water	
Slam'R Clodinafop Herbicide 230 mL/ha + Slam'R COC Adjuvant 400 mL/ha with 50 L/ha of water (0.8% v/v)	Slam'R Clodinafop Herbicide 290 mL/ha + Slam'R COC Adjuvant 500 mL/ha with 50 L/ha of water (1.0% v/v)
Rates for use with 100 L/ha water	
Slam'R Clodinafop Herbicide 230 mL/ha + Slam'R COC Adjuvant 800 mL/ha with 100 L/ha of water (0.8% v/v)	Slam'R Clodinafop Herbicide 290 mL/ha + Slam'R COC Adjuvant 1 L/ha with 100 L/ha of water (1.0% v/v)

Refer to the Slam'R Clodinafop Herbicide label for further details on rate of use and mixing instructions.

RATE OF USE FOR AERIAL APPLICATION:

To control: WILD OATS	To control: WILD OATS GREEN FOXTAIL YELLOW FOXTAIL PERSIAN DARNEL
Slam'R Clodinafop Herbicide 230 mL/ha + Slam'R COC Adjuvant 240 mL/ha with 30 L/ha of water (0.8% v/v)	Slam'R Clodinafop Herbicide 290 mL/ha + Slam'R COC Adjuvant 300 mL/ha with 30 L/ha of water (1.0% v/v)

Refer to the Slam'R Clodinafop Herbicide label for further details on rate of use and mixing instructions

NOTE TO USER:

The DIRECTIONS FOR USE for this product for the use described below were developed by persons other than AgWest Inc. and accepted for registration by Health Canada under the User Requested Minor Use Label Expansion program. AgWest Inc. itself makes no representation or warranty with respect to performance (efficacy) and/or crop tolerance (phytotoxicity) claims for this product when used on the crop listed below.

Accordingly, the Buyer and User assume all risks related to performance and crop tolerance arising, and agree to hold AgWest Inc. harmless, from any claims based on efficacy and/or phytotoxicity in connection with the use described below.

DIRECTIONS FOR USE IN THE OKANAGAN AND CRESTON FLATS REGION OF BC:

Slam'R COC Adjuvant must be tank mixed with Slam'R Clodinafop Herbicide for the control of wild oats, green and yellow foxtail in spring wheat and durum wheat in the Okanagan and Creston Flats Regions of British Columbia. For information on crop and weed stages, rates of application, mixing and spraying instructions and precautions see the appropriate sections elsewhere on this label and the label for Slam'R Clodinafop Herbicide.

Slam'R Clodinafop and Slam'R COC Adjuvant are registered trademarks of Agri Star Canada ULC.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.